




NexCam

USB Webcam



User Manual (Model N108)

Product structure diagram



① FULL HD 1080P lens

③ Bracket

② MIC Hole

④ USB Port


Installation



- 1 . Turn on the Camera Mount and point the camera toward the front of the display.



- 2 . Press down on the Camera Mount and snap the rear end of the screen mount to the back of the screen.



- 3 . Connect USB data cable

Technical specifications

Nexcam N108

Driver type	Driver-free(Plug and play)	USB Line length	150cm
Frequency	50Hz, 60Hz	Resolution	1920*1080
Photo format	Bmp, Jpg	Interface type	USB 2.0
Senser type	1/3" 2MP sensor	Built-in	Sound-absorbing and noise-reduction microphone
Contrast optimization engine	Contrast balance	Focusing range	FULL HD 2MP lens, f=3.6mm, Viewing angle 90°
Application compatibility	Support various chat tools and video conferencing software. Such as: Microsoft Teams, Zoom, BlueJeans, Google Hangouts, Lifesize, Cisco Webex, Vidy, Amazon Chime, etc.		
Standard	Support MJPEG / H.264 / H.265 compression		
Operating systems	Windows 7, Windows 8, or Windows 10 Mac OS X 10.11 or higher		

FC CE RoHS

China office:

**No.56-58,North 5F, Huoju Plaza, Huoju Road, Huli district
Xiamen city, Fujian province
China**

support@nexvoo.com

USA office:

**9325 Uptown Drive, Suite 900 IN 46256 Indianapolis
USA**

support@nexvoo.com

EMEA office:

**Poort van midden Gelderland Rood 22 6666 LT Heteren
The Netherlands**

info@nexvoo.eu